JE

	Application No.	Applicant(s)
Maria a a f Alla mark 1914	10/624,400	DAVID ET AL.
/Notice of Allowability	Examiner	Art Unit
	David Dunn	3616
The MAYLING DATE of this communication apperature All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313 1. This communication is responsive to amendment filed 1/10	(OR REMAINS) CLOSED in this app or other appropriate communication GHTS. This application is subject to and MPEP 1308.	olication. If not included will be mailed in due course. THIS
2. The allowed claim(s) is/are <u>1-23</u> .		
3. The drawings filed on 22 July 2003 are accepted by the Ex	aminer.	
4.	been received. been received in Application No cuments have been received in this r of this communication to file a reply of ENT of this application. itted. Note the attached EXAMINER's es reason(s) why the oath or declarate t be submitted. on's Patent Drawing Review (PTO-6 a Amendment / Comment or in the O' 84(c)) should be written on the drawin the header according to 37 CFR 1.121(d) sit of BIOLOGICAL MATERIAL m	complying with the requirements S AMENDMENT or NOTICE OF tion is deficient. 948) attached ffice action of the back) of the submitted. Note the
 Attachment(s) 1. ⋈ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ⋈ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 11/26/04 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material 	6. ☐ Interview Summary (Paper No./Mail Date 8), 7. ☐ Examiner's Amendm	e

ء المعرب

REASONS FOR ALLOWANCE

1. The following is an examiner's statement of reasons for allowance:

The examiner agrees with Applicant's remarks that Farmer fails to show means for detecting the pattern in the obtained image.

Regarding Khairallah et al. (6,810,133), this reference shows an occupant sensing system which compares two images to determine the presence of an occupant. Khairallah et al. does not show a means for detecting a pattern located on the vehicle structure in the obtained image, or means for removing portions of the image associated with the pattern. Khairallah et al. does teach removing the effect of ambient sources in the images, however, this refers to effects such as shadows, not a "pattern located on vehicle structures". Further the removal of the ambient sources is not a "means for removing portions... so as to obtain information regarding occupancy within the viewable field." In Khairallah et al. an additional step is required: after the sources are removed, the image must then be compared with another background image to determine the presence of an occupant.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

2. Any inquiry concerning this communication or earlier communications from the examiner should be directed to David Dunn whose telephone number is 703-305-0049. The examiner can normally be reached on Mon-Thur, alt. Fridays, 9:00-5:30.

Art Unit: 3616

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Paul Dickson can be reached on 703-308-2089. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

David Dunn
Primary Examiner
Art Unit 3616